## **Pending Claims**

- 1. (Previously presented) A pharmaceutical composition comprising:
- a first therapeutic agent selected from the group consisting of:

azo-bonded 4-APAA compound;

non-azo bonded 4-APAA compound;

azo-bonded 5-ASA compound;

non-azo bonded 5-ASA compound; and

a second therapeutic agent comprising a

- 4-APAA compound azo bonded to a 5-ASA compound.
- 2. (Previously presented) The pharmaceutical composition of claim 1 further comprising another therapeutic agent selected from the group consisting of: steroids, antibiotics, stool softeners, stool hardeners, nutraceuticals, probiotic agents and organisms, and nicotinic agents.
- 3. (Previously presented) The pharmaceutical composition of claim 1 formulated to deliver the first therapeutic agent to the small intestine.
- 4. (Previously presented) The pharmaceutical composition of claim 1 formulated to release the first therapeutic agents along the length of the small intestine and the second therapeutic agent along the length of colon.
- 5. (Previously presented) The pharmaceutical composition of claim 1 formulated to release the second therapeutic agents along the length of the distal portion of the small intestine and the colon.
- 6. (Previously presented) The pharmaceutical composition of claim 1 formulated to release the second therapeutic agents along the length of the colon.
- 7. (Original) The pharmaceutical composition of claim 1 formulated to pass through the stomach and to release the active agent in the intestine.
- 8. (Previously presented) The pharmaceutical composition of claim 1 formulated as a suppository.

- 9. (Previously presented) The pharmaceutical composition of claim 1 formulated for administration as an enema.
- 10-14. (Cancelled)
- 15. (Previously presented) A pharmaceutical composition comprising at least
- a first and second therapeutic agent, wherein the first therapeutic agent is formulated to release in the stomach or small intestine and selected from the group consisting of

azo-bonded 4-APAA compound;

non-azo bonded 4-APAA compound;

azo-bonded 5-ASA compound; and

non-azo bonded 5-ASA compound; and

wherein the second therapeutic agent is formulated to release in the distal portion of the small intestine or colon and selected from the group consisting of:

4-APAA compound azo bonded to a 5-ASA compound; and a combination of 4-APAA compound and a 5-ASA compound.

16.-29. (Cancelled)

- 30. (Previously presented) A method of treating an inflammatory colon condition comprising administering to a subject a pharmaceutical composition of claim 1 or 15 in an amount sufficient to reduce the inflammatory inflammatory colon condition.
- 31.-32. (Cancelled).
- 33. (Previously presented) The pharmaceutical composition of claim 15 wherein:

the first therapeutic agent is a 5-ASA compound formulated for release in the stomach and the second therapeutic agent is a 4-APAA compound azo bonded to a 5-ASA compound formulated for release in a distal portion of the small intestine.

34. -38. Cancelled

39. (Previously presented) The pharmaceutical composition of claim 15 wherein:

the first therapeutic agent is a 5-ASA compound formulated for release in the small intestine and the second therapeutic agent is a 4-APAA compound azo bonded to a 5-ASA compound formulated for release in the colon.

40. (Cancelled)